

AROMATIC FRAGRANCES
INTERNATIONAL

Issue date: 06/05/2023

Version: 3 (05/26/2023)

## **SAFETY DATA SHEET**

In accordance with UN GHS latest edition

**Product:** Compare to aroma CANDY FLUFF by Lush ® F20057

Version: 3

### Section 1. Identification of the substance or the mixture and of the supplier

#### 1.1 Product Identifier

Product identifier: Compare to aroma CANDY FLUFF by Lush ® F20057(Contains:Cinnamaldehyde, alpha-iso-

Methylionone, delta-1-(2,6,6-Trimethyl-3-cyclohexen-1-yl)-2-buten-1-one)

Other identifiers: None

1.2 Relevant identified uses of the substance of mixture and uses advised against

**Product uses:** Fragrances

1.3 Details of the supplier of the safety data sheet

**Company name:** Aromatic Fragrances International, Inc

Company address: 85 Wansley Drive SE

Cartersville GA 30121 USA

Contact: Regulatory Affairs

**E-Mail address:** regulatory@afi-usa.com

Company phone: 770-334-3906

1.4 Emergency telephone number

Emergency phone: 770-334-3906

### Section 2. Hazards identification

#### 2.1 Classification of the substance or mixture

**Class and category of** Flammable Liquid, Hazard Category 4 danger: Skin Corrosion / Irritation Category 3

Sensitization - Skin Category 1

Hazardous to the Aquatic Environment - Acute Hazard Category 2
Hazardous to the Aquatic Environment - Long-term Hazard Category 2

H227, Combustible liquid.

H316, Causes mild skin irritation.

H317, May cause an allergic skin reaction.

H411, Toxic to aquatic life with long lasting effects.

2.2 Label elements

Signal word: Warning

Hazard statements: H227, Combustible liquid.

H316, Causes mild skin irritation.

H317, May cause an allergic skin reaction.

H411, Toxic to aquatic life with long lasting effects.

Precautionary

statements:

P210, Keep away from heat, sparks, open flames and hot surfaces. - No smoking.





Version: 3 (05/26/2023)

## **SAFETY DATA SHEET**

In accordance with UN GHS latest edition

**Product:** Compare to aroma CANDY FLUFF by Lush ® F20057

Version: 3

P261, Avoid breathing vapour or dust.

P272, Contaminated work clothing should not be allowed out of the workplace.

P273, Avoid release to the environment.

P280, Wear protective gloves/eye protection/face protection. P302/352, IF ON SKIN: Wash with plenty of soap and water.

P333/313, If skin irritation or rash occurs: Get medical advice/attention.

P363, Wash contaminated clothing before reuse.

P370/378, In case of fire: Use carbon dioxide, dry chemical, foam for extinction.

P391, Collect spillage.

P403/235, Store in a well-ventilated place. Keep cool.

P501, Dispose of contents/container to approved disposal site, in accordance with local

regulations.



Pictograms:

### 2.3 Other hazards

Other hazards: Hydrocarbon Concentration %: 0.0000%

## Section 3. Composition / information on ingredients

#### 3.2 Mixtures

### **Contains:**

CAS	%	GHS Classification
127-51-5	10-<20%	Skin Irrit. 3-Skin Sens. 1B-Aquatic Acute 2-Aquatic Chronic 2;H316-H317-H411
84-66-2	10-<20%	Skin Irrit. 3-Aquatic Acute 3;H316-H402
1222-05-5	10-<20%	Skin Irrit. 3-Aquatic Acute 1-Aquatic Chronic 1;H316- H410
105-95-3	5-<10%	Aquatic Acute 2;H401
140-11-4	5-<10%	Acute Tox. 5-Aquatic Acute 2-Aquatic Chronic 3;H303-H401-H412
104-67-6	1-<5%	Skin Irrit. 3-Aquatic Acute 3-Aquatic Chronic 3;H316- H412
57378-68-4	1-<5%	Acute Tox. 4-Skin Irrit. 2-Skin Sens. 1A-Aquatic Acute 1-Aquatic Chronic 1;H302-H315-H317-H410
123-29-5	1-<5%	Flam. Liq. 4-Skin Irrit. 3;H227-H316
121-32-4	1-<5%	Acute Tox. 5-Eye Irrit. 2B-Aquatic Acute 3;H303-H320-H402
106-27-4	1-<5%	Flam. Liq. 3-Aquatic Acute 2;H226-H401
123-92-2	1-<5%	Flam. Liq. 3-Aquatic Acute 3;H226-H402
	127-51-5 84-66-2 1222-05-5 105-95-3 140-11-4 104-67-6 57378-68-4 123-29-5 121-32-4 106-27-4	127-51-5     10-<20%





Version: 3 (05/26/2023)

## **SAFETY DATA SHEET**

In accordance with UN GHS latest edition

**Product:** Compare to aroma CANDY FLUFF by Lush ® F20057

Version: 3

d-Limonene	5989-27-5	0.1-<1%	Flam. Liq. 3-Skin Irrit. 2-Skin Sens. 1B-Asp. Tox 1- Aquatic Acute 1-Aquatic Chronic 3;H226-H304-H315- H317-H400-H412
ORANGE OIL FLORIDA	8028-48-6	0.1-<1%	Flam. Liq. 3-Skin Irrit. 2-Skin Sens. 1-Asp. Tox 1- Aquatic Acute 2-Aquatic Chronic 2;H226-H304-H315- H317-H411
Ethyl isovalerate	108-64-5	0.1-<1%	Flam. Liq. 3-Skin Irrit. 2-Aquatic Acute 2;H226-H315- H401
Benzyl benzoate	120-51-4	0.1-<1%	Acute Tox. 4-Acute Tox. 5-Aquatic Acute 1-Aquatic Chronic 2;H302-H313-H400-H411
Eugenol	97-53-0	0.1-<1%	Acute Tox. 5-Skin Irrit. 3-Eye Irrit. 2A-Skin Sens. 1B- Aquatic Acute 2;H303-H316-H317-H319-H401
Citral	5392-40-5	0.1-<1%	Acute Tox. 5-Skin Irrit. 2-Eye Irrit. 2A-Skin Sens. 1- Aquatic Acute 2;H313-H315-H317-H319-H401
Cinnamaldehyde	104-55-2	0.1-<1%	Acute Tox. 5-Acute Tox. 4-Skin Irrit. 2-Eye Irrit. 2A-Skin Sens. 1A-Aquatic Acute 2-Aquatic Chronic 3;H303-H312-H315-H317-H319-H401-H412

### Substances with workplace exposure limits, not listed above:

Not Applicable

#### Section 4. First-aid measures

#### 4.1 Description of first aid measures

**Inhalation:** Remove from exposure site to fresh air, keep at rest, and obtain medical attention.

**Eye exposure:** Flush immediately with water for at least 15 minutes. Contact physician if symptoms persist.

**Skin exposure:** IF ON SKIN: Wash with plenty of soap and water.

**Ingestion:** Rinse mouth with water and obtain medical attention.

## 4.2 Most important symptoms and effects, both acute and delayed

Causes mild skin irritation.

May cause an allergic skin reaction.

## 4.3 Indication of any immediate medical attention and special treatment needed

None expected, see Section 4.1 for further information.

## **SECTION 5: Firefighting measures**

### 5.1 Extinguishing media

Suitable media: Carbon dioxide, Dry chemical, Foam.

## 5.2 Special hazards arising from the substance or mixture

In case of fire, may be liberated: Carbon monoxide, Unidentified organic compounds.

### 5.3 Advice for fire fighters:

In case of insufficient ventilation, wear suitable respiratory equipment.





Version: 3 (05/26/2023)

## SAFETY DATA SHEET

In accordance with UN GHS latest edition

**Product:** Compare to aroma CANDY FLUFF by Lush ® F20057

Version: 3

#### Section 6. Accidental release measures

### 6.1 Personal precautions, protective equipment and emergency procedures:

Avoid inhalation. Avoid contact with skin and eyes. See protective measures under Section 7 and 8.

#### 6.2 Environmental precautions:

Keep away from drains, surface and ground water, and soil.

### 6.3 Methods and material for containment and cleaning up:

Remove ignition sources. Provide adequate ventilation. Avoid excessive inhalation of vapours. Contain spillage immediately by use of sand or inert powder. Dispose of according to local regulations.

#### 6.4 Reference to other sections:

Also refer to sections 8 and 13.

### Section 7. Handling and storage

### 7.1 Precautions for safe handling:

Keep away from heat, sparks, open flames and hot surfaces. - No smoking. Use personal protective equipment as required. Use in accordance with good manufacturing and industrial hygiene practices. Use in areas with adequate ventilation Do not eat, drink or smoke when using this product.

#### 7.2 Conditions for safe storage, including any incompatibilities:

Store in a well-ventilated place. Keep container tightly closed. Keep cool. Ground/bond container and receiving equipment. Use explosion-proof electrical, ventilating and lighting equipment. Use only non-sparking tools. Take precautionary measures against static discharge.

## 7.3 Specific end use(s):

Fragrances: Use in accordance with good manufacturing and industrial hygiene practices.

#### Section 8. Exposure controls/personal protection

### 8.1 Control parameters

Workplace exposure limits: Not Applicable

#### **8.2 Exposure Controls**

#### **Eye / Skin Protection**

Wear protective gloves/eye protection/face protection

## **Respiratory Protection**

Under normal conditions of use and where adequate ventilation is available to prevent build up of excessive vapour, this material should not require special engineering controls. However, in conditions of high or prolonged use, or high temperature or other conditions which increase exposure, the following engineering controls can be used to minimise exposure to personnel: a) Increase ventilation of the area with local exhaust ventilation. b) Personnel can use an approved, appropriately fitted respirator with organic vapour cartridge or canisters and particulate filters. c) Use closed systems for transferring and processing this material.

Also refer to Sections 2 and 7.





Version: 3 (05/26/2023)

## SAFETY DATA SHEET

In accordance with UN GHS latest edition

**Product:** Compare to aroma CANDY FLUFF by Lush ® F20057

Version: 3

### Section 9. Physical and chemical properties

## 9.1 Information on basic physical and chemical properties

Appearance: Free flowing liquid without sediment

Odour:
Characteristic
Odour threshold:
Not determined
PH:
Not determined
Melting point / freezing point:
Not determined
Initial boiling point / range:
Not determined

Flash point: 87 °C

Evaporation rate: Not determined Flammability (solid, gas): Not determined

Upper/lower flammability or explosive limits: Product does not present an explosion hazard

Vapour pressure: Not determined Vapour density: Not determined 0.9630 - 0.9730 Relative density: Solubility(ies): Not determined Partition coefficient: n-octanol/water: Not determined Not determined **Auto-ignition temperature: Decomposition temperature:** Not determined Viscosity: Not determined **Explosive properties:** Not expected Oxidising properties: Not expected

9.2 Other information:

Refractive Index @ 20C: 1.4746 - 1.4846

Flash Point (Fahrenheit): 189.1 °F Calculated VOC: 7.00

Color Range: 2 Very Pale Yellow - 4 Pale Yellow

### Section 10. Stability and reactivity

### 10.1 Reactivity:

Presents no significant reactivity hazard, by itself or in contact with water.

### 10.2 Chemical stability:

Good stability under normal storage conditions.

### 10.3 Possibility of hazardous reactions:

Not expected under normal conditions of use.





Version: 3 (05/26/2023)

## SAFETY DATA SHEET

In accordance with UN GHS latest edition

**Product:** Compare to aroma CANDY FLUFF by Lush ® F20057

Version: 3

10.4 Conditions to avoid:

Avoid extreme heat.

10.5 Incompatible materials:

Avoid contact with strong acids, alkalis or oxidising agents.

10.6 Hazardous decomposition products:

Not expected.

### Section 11. Toxicological information

### 11.1 Information on toxicological effects

This mixture has not been tested as a whole for health effects. The health effects have been calculated using the methods outlined in UN GHS.

Acute Toxicity: Based on available data the classification criteria are not met.

Acute Toxicity Oral >5000

Acute Toxicity Dermal Not Applicable
Acute Toxicity Inhalation Not Available

**Skin corrosion/irritation:** Skin Corrosion / Irritation Category 3

**Serious eye damage/irritation:** Based on available data the classification criteria are not met.

Respiratory or skin sensitisation: Sensitization - Skin Category 1

Germ cell mutagenicity:

Based on available data the classification criteria are not met.

Carcinogenicity:

Based on available data the classification criteria are not met.

Reproductive toxicity:

Based on available data the classification criteria are not met.

STOT-single exposure:

Based on available data the classification criteria are not met.

STOT-repeated exposure:

Based on available data the classification criteria are not met.

Based on available data the classification criteria are not met.

Based on available data the classification criteria are not met.

## Information about hazardous ingredients in the mixture

	•				
Ingredient	CAS	LD50/ATE Oral	LD50/ATE Dermal	LC50/ATE Inhalation	LC50 Route
Benzyl acetate	140-11-4	2490	Not available	Not available	Not available
Ethyl vanillin	121-32-4	3000	Not available	Not available	Not available
delta-1-(2,6,6-Trimethyl- 3-cyclohexen-1-yl)-2- buten-1-one	57378-68-4	1400	Not available	Not available	Not available

Refer to Sections 2 and 3 for additional information.

#### **Section 12. Ecological information**

#### 12.1 Toxicity:

Toxic to aquatic life with long lasting effects.





Version: 3 (05/26/2023)

## SAFETY DATA SHEET

In accordance with UN GHS latest edition

**Product:** Compare to aroma CANDY FLUFF by Lush ® F20057

Version: 3

**12.2 Persistence and degradability:** Not available

**12.3 Bioaccumulative potential:** Not available

**12.4 Mobility in soil:** Not available

12.5 Other adverse effects: Not available

## Section 13. Disposal considerations

#### 13.1 Waste treatment methods:

Dispose of in accordance with local regulations. Avoid disposing into drainage systems and into the environment. Empty containers should be taken to an approved waste handling site for recycling or disposal.

### **Section 14. Transport information**

	14.1 UN number:	14.2 UN Proper Shipping Name:	14.3 Transport hazard class (es):	Sub Risk:	14.4. Packing Group:
UN Model Regulations	UN3082	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (1,3,4,6,7,8-Hexahydro-4,6,6,7,8,8-hexamethylcyclopenta-gamma-2-benzopyran, delta-1-(2,6,6-Trimethyl-3-cyclohexen-1-yl)-2-buten-1-one)	9	-	III
IMDG	UN3082	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (1,3,4,6,7,8-Hexahydro-4,6,6,7,8,8-hexamethylcyclopenta-gamma-2-benzopyran, delta-1-(2,6,6-Trimethyl-3-cyclohexen-1-yl)-2-buten-1-one) MARINE POLLUTANT	9	-	III
ADR,RID,ADN	UN3082	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (1,3,4,6,7,8-Hexahydro-4,6,6,7,8,8-hexamethylcyclopenta-gamma-2-benzopyran, delta-1-(2,6,6-Trimethyl-3-cyclohexen-1-yl)-2-buten-1-one)	9	-	III
ICAO TI	UN3082	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (1,3,4,6,7,8-Hexahydro-4,6,6,7,8,8-hexamethylcyclopenta-gamma-2-benzopyran, delta-1-(2,6,6-Trimethyl-3-cyclohexen-1-yl)-2-buten-1-one)	9	-	III

**14.5 Environmental hazards:** This is classified as an environmentally hazardous substance under the UN

Model Regulations. This is classified as a Marine Pollutant under the IMDG

Code.

14.6 Special precautions for user: None additional





Version: 3 (05/26/2023)

## **SAFETY DATA SHEET**

In accordance with UN GHS latest edition

**Product:** Compare to aroma CANDY FLUFF by Lush ® F20057

Version: 3

### 14.7 Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code:

Not applicable

## Section 15. Regulatory information

Components listed on California's Proposition 65:

Name	CAS	%
Myrcene	123-35-3	<0.1%

### **Essential Oil Components:**

Name	CAS	%
LEMON OIL CALIFORNIA	8008-56-8	0.1-<1%
ORANGE OIL FLORIDA	8028-48-6	0.1-<1%

### Additional formulation properties

Name	CAS	%
Diethyl phthalate	84-66-2	10-<20%
Ethyl vanillin	121-32-4	1-<5%
Vanillin	121-33-5	0.1-<1%

## Components listed on California's SB312

Name	CAS	%
DIOCTYL ADIPATE ( S ) "DOA"	103-23-1	20-<50%
METHYL IONONE GAMMA	127-51-5	10-<20%
EUGENOL	97-53-0	0.1-<1%
CINNAMIC ALDEHYDE	104-55-2	0.1-<1%
CITRAL	5392-40-5	0.1-<1%
LINALOOL	78-70-6	<0.1%

US Department Of Transport Bulk Packing - Group:

#### **Section 16. Other information**

**Concentration % Limits:** SCI 3=9.53% SS 1=2.17% EH A2=13.14% EH A3=1.30% EH C2=14.83%

EH C3=1.47% EH C4=58.96%

**Total Fractional Values:** SCI 3=10.49 SS 1=46.00 EH A2=7.61 EH A3=76.99 EH C2=6.74 EH

C3=67.86 EH C4=1.70

Key to revisions:

Concentration % Limits

**GHS Workplace Exposure Limits** 

SECTION 3: Composition/information on ingredients

**Total Fractional Values** 





Issue date: 06/05/2023 Version: 3 (05/26/2023)

# **SAFETY DATA SHEET**

In accordance with UN GHS latest edition

**Product:** Compare to aroma CANDY FLUFF by Lush ® F20057

Version: 3

# Key to abbreviations:

Acute Tox. 4 Acute Tox. 4 Acute Tox. 4 Acute Tox. 5 Acute Tox. 6 Acute	ney to appreviations.	
Acute Tox. 4 Acute Tox. 5 Acute Tox. 5 Acute Toxicity - Dermal Category 4 Acute Tox. 5 Acute Toxicity - Dermal Category 5 Acute Tox. 5 Acute Toxicity - Dermal Category 5 Acute Tox. 5 Acute Tox. 5 Acute Toxicity - Dermal Category 5 Acute Tox. 6 Acute To	Abbreviation	Meaning
Acute Tox. 5 Acute Category 1 Acute Chronic 2 Acute 3 Acute Chronic 1 Hazardous to the Aquatic Environment - Acute Hazard Category 3 Acute Chronic 2 Hazardous to the Aquatic Environment - Long-term Hazard Category 1 Acute Chronic 3 Hazardous to the Aquatic Environment - Long-term Hazard Category 2 Acute Chronic 3 Asp. Tox 1 Aspiration Hazard Category 1 Eye Irrit. 2A Eye Damage / Irritation Category 2A Eye Irrit. 2B Eye Damage / Irritation Category 2B Fiam. Liq. 3 Fiammable Liquid, Hazard Category 3 Fiam. Liq. 3 Fiammable Liquid, Hazard Category 4 H228 Fiammable Liquid and vapour. Combustible liquid H227 Combustible liquid H303 May be harmful if swallowed. H303 May be harmful if swallowed. H304 May be harmful if swallowed. H312 Harmful in contact with skin. H315 Causes skin irritation. H316 Causes skin irritation. H317 May cause an allergic skin reaction. H319 Causes serious eye irritation. H319 Causes serious eye irritation. H310 Very toxic to aquatic life. H400 H400 H400 H400 H400 H400 H400 H40	Acute Tox. 4	Acute Toxicity - Oral Category 4
Acute Tox. 5 Aquatic Acute 1 Aquatic Acute 2 Aquatic Acute 2 Aquatic Acute 3 Hazardous to the Aquatic Environment - Acute Hazard Category 2 Aquatic Chronic 1 Hazardous to the Aquatic Environment - Acute Hazard Category 3 Aquatic Chronic 1 Hazardous to the Aquatic Environment - Long-term Hazard Category 1 Aquatic Chronic 2 Hazardous to the Aquatic Environment - Long-term Hazard Category 2 Aquatic Chronic 3 Hazardous to the Aquatic Environment - Long-term Hazard Category 2 Aquatic Chronic 3 App. Tox 1 Aspiration Hazard Category 1 Eye Irit. 2A Eye Damage / Irritation Category 2A Eye Irit. 2B Eye Damage / Irritation Category 2B Eye Irrit. 2B Eye Damage / Irritation Category 2B Flam. Liq. 3 Flammable Liquid, Hazard Category 4 Flammable Liquid, Hazard Category 4 Hazard Elammable Liquid and vapour. Hazard Combustible liquid Hazard Category 4 Hazard Hazard Category 4 Hazard Elammable Liquid, Hazard Category 4 Hazard Liquid Elammable Liquid, Hazard Category 3 Hazard Elammable Liquid, Hazard Elammable Liquid Elammable	Acute Tox. 4	Acute Toxicity - Dermal Category 4
Aquatic Acute 1 Hazardous to the Aquatic Environment - Acute Hazard Category 1 Aquatic Acute 2 Hazardous to the Aquatic Environment - Acute Hazard Category 2 Aquatic Acute 3 Hazardous to the Aquatic Environment - Acute Hazard Category 3 Aquatic Chronic 1 Hazardous to the Aquatic Environment - Acute Hazard Category 1 Aquatic Chronic 1 Hazardous to the Aquatic Environment - Long-term Hazard Category 1 Aquatic Chronic 3 Hazardous to the Aquatic Environment - Long-term Hazard Category 2 Aquatic Chronic 3 Hazardous to the Aquatic Environment - Long-term Hazard Category 3 Asp. Tox 1 Eye Imit 2A Eye Damage / Imitation Category 1 Eye Imit 2B Eye Damage / Imitation Category 2B Eye Imit 2B Eye Damage / Imitation Category 2B Eye Imit 2B Eye Damage / Imitation Category 3 Flam. Liq. 3 Flammable Liquid, Hazard Category 3 Flam. Liq. 4 Flammable Liquid, Hazard Category 4 Hazard Category 5 Hazard Category 4 Hazard Category 4 Hazard Category 5 Hazard Category 4 Hazard Category 5 Hazard Category 6 Hazard Category 8 Hazard Category 8 Hazard Category 9 Hazard C	Acute Tox. 5	Acute Toxicity - Oral Category 5
Aquatic Acute 2 Aquatic Acute 3 Aquatic Chronic 1 Aquatic Chronic 1 Aquatic Chronic 1 Aquatic Chronic 2 Aquatic Chronic 2 Aquatic Chronic 3 Aparadous to the Aquatic Environment - Long-term Hazard Category 3 Aquatic Chronic 2 Aquatic Chronic 3 Aparadous to the Aquatic Environment - Long-term Hazard Category 2 Aquatic Chronic 3 App. Tox 1 Aspiration Hazard Category 1 Eye Irrit 2A Eye Damage / Irritation Category 2A Eye Irrit 2B Eye Damage / Irritation Category 2B Flam. Liq. 3 Flammable Liquid, Hazard Category 3 Flam. Liq. 3 Flammable Liquid, Hazard Category 4 H226 Flamsel Eiguid and vapour. H227 Combustible liquid. H303 May be harmful if swallowed. H304 May be fatal if swallowed. H305 H313 May be harmful in contact with skin. H315 Causes skin irritation. H316 Causes skin irritation. H317 May cause an allergic skin reaction. H319 Causes serious eye irritation. H400 Very toxic to aquatic life. H401 H401 Toxic to aquatic life with long lasting effects. H411 Toxic to aquatic life with long lasting effects. P210 Keep away from heat, sparks, open flames and highting equipment. P241 Use explosion-proof electrical, ventilating and lighting equipment.	Acute Tox. 5	Acute Toxicity - Dermal Category 5
Aquatic Acute 3 Hazardous to the Aquatic Environment - Acute Hazard Category 3 Aquatic Chronic 1 Hazardous to the Aquatic Environment - Long-term Hazard Category 1 Aquatic Chronic 2 Hazardous to the Aquatic Environment - Long-term Hazard Category 2 Aquatic Chronic 3 Hazardous to the Aquatic Environment - Long-term Hazard Category 3 Asp. Tox 1 Aspiration Hazard Category 1 Eye Irrit. 2A Eye Damage / Irritation Category 2A Eye Irrit. 2B Eye Damage / Irritation Category 2B Eye Irrit. 2B Eye Damage / Irritation Category 7B Flam. Liq. 3 Flammable Liquid, Hazard Category 3 Flam. Liq. 4 Flammable Liquid, Hazard Category 4 H226 Flammable liquid and vapour. H227 Combustible liquid. H302 Harmful if swallowed. H303 May be harmful if swallowed. H304 May be fatal if swallowed. H305 May be fatal if swallowed. H315 Causes skin irritation. H316 Causes skin irritation. H317 May cause an allergic skin reaction. H319 Causes serious eye irritation. H310 Causes serious eye irritation. H310 Causes serious eye irritation. H310 Harmful over to aquatic life. H400 Very toxic to aquatic life. H410 Harmful to aquatic life with long lasting effects. H411 Toxic to aquatic life with long lasting effects. H412 Harmful to aquatic life with long lasting effects. H412 Harmful to aquatic life with long lasting effects. H412 Harmful to aquatic life with long lasting effects. H412 Harmful to aquatic life with long lasting effects. H412 Harmful to aquatic life with long lasting effects. H412 Harmful to aquatic life with long lasting effects. H413 Use explosion-proof electrical, ventilating and lighting equipment.	Aquatic Acute 1	Hazardous to the Aquatic Environment - Acute Hazard Category 1
Aquatic Chronic 1 Aquatic Chronic 2 Hazardous to the Aquatic Environment - Long-term Hazard Category 1 Aquatic Chronic 2 Hazardous to the Aquatic Environment - Long-term Hazard Category 2 Aquatic Chronic 3 Hazardous to the Aquatic Environment - Long-term Hazard Category 3 Aspiration Hazard Category 1 Eye Irrit. 2A Eye Irrit. 2A Eye Damage / Irritation Category 2A Eye Irrit. 2B Eye Damage / Irritation Category 2B Flam. Liq. 3 Flammable Liquid, Hazard Category 3 Flam. Liq. 4 Flammable Liquid, Hazard Category 4 H228 Flammable Liquid, Hazard Category 4 H227 Combustible liquid H302 Harmful if swallowed. H303 May be harmful if swallowed. H304 May be feat if swallowed and enters airways. H312 Harmful in contact with skin. H313 May be harmful in contact with skin. Causes skin irritation. Causes skin irritation. H316 Causes skin irritation. Causes mild skin irritation. H317 May cause an allergic skin reaction. H319 Causes serious eye irritation. H320 Causes exerious eye irritation. H400 Harmful to aquatic life. H401 Toxic to aquatic life with long lasting effects. H411 Toxic to aquatic life with long lasting effects. H412 Harmful to aquatic life with long lasting effects. P210 Keep away from heat, sparks, open flames and hot surfaces No smoking. P233 Keep container tightly closed. P240 Ground/bond container and receiving equipment.	Aquatic Acute 2	Hazardous to the Aquatic Environment - Acute Hazard Category 2
Aquatic Chronic 2 Hazardous to the Aquatic Environment - Long-term Hazard Category 2 Aquatic Chronic 3 Hazardous to the Aquatic Environment - Long-term Hazard Category 3 Asp. Tox 1 Eye Irrit. 2A Eye Damage / Irritation Category 2B Eye Irrit. 2B Eye Damage / Irritation Category 2B Fiam. Liq. 3 Filammable Liquid, Hazard Category 3 Filam. Liq. 4 Filammable Liquid, Hazard Category 4 H226 Filammable Liquid and vapour. Combustible liquid and vapour. H227 Combustible liquid and vapour. H227 Combustible liquid Hazard Category 4 H302 Harmful if swallowed. H303 May be harmful if swallowed. H304 May be fatal if swallowed and enters airways. H315 H316 Causes skin irritation. H317 May cause an allergic skin reaction. H319 Causes serious eye irritation. H319 Causes serious eye irritation. H400 Very toxic to aquatic life. H401 Toxic to aquatic life. H402 Harmful to aquatic life. H410 Very toxic to aquatic life with long lasting effects. H411 Toxic to aquatic life with long lasting effects. P210 Keep away from heat, sparks, open flames and hot surfaces No smoking. P233 Keep container tightly closed.	Aquatic Acute 3	Hazardous to the Aquatic Environment - Acute Hazard Category 3
Aquatic Chronic 3 Hazardous to the Aquatic Environment - Long-term Hazard Category 3 Asp. Tox 1 Aspiration Hazard Category 1 Eye Irrit. 2A Eye Damage / Irritation Category 2A Eye Irrit. 2B Eye Damage / Irritation Category 2B Flam. Liq. 3 Flam. Liq. 3 Flam. Liq. 4 Flammable Liquid, Hazard Category 3 Flam. Liq. 4 Flammable Liquid, Hazard Category 4 H226 Flammable liquid and vapour. H227 Combustible liquid. H302 Harmful if swallowed. H303 May be harmful if swallowed. H304 May be fatal if swallowed and enters airways. H315 Causes skin irritation. H316 Causes skin irritation. Causes skin irritation. H317 May cause an allergic skin reaction. H319 Causes serious eye irritation. H320 Causes eye irritation. H320 Causes eye irritation. H320 Causes eye irritation. H319 Causes eye irritation. H400 Very toxic to aquatic life. H401 H401 Toxic to aquatic life. H402 Harmful to aquatic life with long lasting effects. H411 Toxic to aquatic life with long lasting effects. H412 Harmful to aquatic life with long lasting effects. H412 Harmful to aquatic life with long lasting effects. F210 Keep away from heat, sparks, open flames and hot surfaces No smoking. F223 Keep container tightly closed. F241 Use explosion-proof electrical, ventilating and lighting equipment.	Aquatic Chronic 1	Hazardous to the Aquatic Environment - Long-term Hazard Category 1
Asp. Tox 1 Eye Irrit. 2A Eye Irrit. 2A Eye Damage / Irritation Category 2A Eye Irrit. 2B Eye Damage / Irritation Category 2B Flam. Liq. 3 Flammable Liquid, Hazard Category 3 Flam. Liq. 4 Flammable Liquid, Hazard Category 4 H226 Flammable liquid and vapour. H227 Combustible liquid. H302 Harmful if swallowed. H303 May be harmful if swallowed. H304 May be fatal if swallowed and enters airways. H3112 Harmful in contact with skin. H313 May be harmful in contact with skin. H3145 Causes skin irritation. H316 Causes mild skin irritation. H317 May cause an allergic skin reaction. H319 Causes serious eye irritation. H310 Causes serious eye irritation. H400 Very toxic to aquatic life. H401 Toxic to aquatic life. H402 Harmful to aquatic life with long lasting effects. H411 Toxic to aquatic life with long lasting effects. H412 Harmful to aquatic life with long lasting effects. H411 Harmful to aquatic life with long lasting effects. H412 Harmful to aquatic life with long lasting effects. H412 Harmful to aquatic life with long lasting effects. H412 Harmful to aquatic life with long lasting effects. H411 Harmful to aquatic life with long lasting effects. H412 Harmful to aquatic life with long lasting effects. H411 Harmful to aquatic life with long lasting effects. H412 Harmful to aquatic life with long lasting effects. H412 Harmful to aquatic life with long lasting effects. H412 Harmful to aquatic life with long lasting effects. H412 Harmful to aquatic life with long lasting effects. H414 Harmful to aquatic life with long lasting effects. H415 Harmful to aquatic life with long lasting effects. H416 H417 H418 H418 H419 H419 H419 H419 H419 H419 H419 H419	Aquatic Chronic 2	Hazardous to the Aquatic Environment - Long-term Hazard Category 2
Eye Irrit. 2A Eye Damage / Irritation Category 2A Eye Irrit. 2B Eye Damage / Irritation Category 2B Flam. Liq. 3 Flammable Liquid, Hazard Category 3 Flam. Liq. 4 Flammable Liquid, Hazard Category 4 H226 Flammable liquid, Hazard Category 4 H227 Combustible liquid. H302 Harmful if swallowed. H303 May be harmful if swallowed. H304 May be fatal if swallowed and enters airways. H315 Harmful in contact with skin. H316 Causes skin irritation. H317 May cause an allergic skin reaction. H319 Causes serious eye irritation. H319 Causes serious eye irritation. H310 Causes serious eye irritation. H310 Causes serious eye irritation. H3110 Very toxic to aquatic life. H400 Very toxic to aquatic life. H401 Toxic to aquatic life. H410 Very toxic to aquatic life with long lasting effects. H411 Toxic to aquatic life with long lasting effects. H412 Harmful to aquatic life with long lasting effects. H411 Harmful to aquatic life with long lasting effects. H412 Harmful to aquatic life with long lasting effects. H411 Toxic to aquatic life with long lasting effects. H412 Harmful to aquatic life with long lasting effects. H412 Harmful to aquatic life with long lasting effects. H412 Harmful to aquatic life with long lasting effects. H412 Harmful to aquatic life with long lasting effects. H412 Harmful to aquatic life with long lasting effects. H412 Harmful to aquatic life with long lasting effects. H412 Harmful to aquatic life with long lasting effects. H414 Harmful to aquatic life with long lasting effects. H415 Harmful to aquatic life with long lasting effects. H416 Very toxic to aquatic life with long lasting effects. H417 Harmful to aquatic life with long lasting effects. H418 Harmful to aquatic life with long lasting effects. H419 Harmful to aquatic life with long lasting effects. H410 Harmful to aquatic life with long lasting effects. H410 Harmful to aquatic life with long lasting effects. H411 Harmful to aquatic life with long lasting effects. H412 Harmful to aquatic life with long lasting effects.	Aquatic Chronic 3	Hazardous to the Aquatic Environment - Long-term Hazard Category 3
Eye Irrit. 2B Eye Damage / Irritation Category 2B Flam. Liq. 3 Flammable Liquid, Hazard Category 3 Flam. Liq. 4 Flammable Liquid, Hazard Category 4 H226 Flammable Liquid and vapour. Combustible liquid. H302 Harmful if swallowed. H303 May be harmful if swallowed. H304 May be fatal if swallowed and enters airways. H312 Harmful in contact with skin. H313 May be harmful in contact with skin. H316 Causes skin irritation. H317 May cause an allergic skin reaction. H319 Causes serious eye irritation. H320 Causes serious eye irritation. H320 Causes serious eye irritation. H400 Very toxic to aquatic life. H401 Toxic to aquatic life. H402 Harmful to aquatic life with long lasting effects. H411 Toxic to aquatic life with long lasting effects. H412 Harmful to aquatic life with long lasting effects. H411 Harmful to aquatic life with long lasting effects. H412 Harmful to aquatic life with long lasting effects. H412 Harmful to aquatic life with long lasting effects. H412 Harmful to aquatic life with long lasting effects. H412 Harmful to aquatic life with long lasting effects. H412 Harmful to aquatic life with long lasting effects. H412 Harmful to aquatic life with long lasting effects. H412 Harmful to aquatic life with long lasting effects. H412 Harmful to aquatic life with long lasting effects. H412 Harmful to aquatic life with long lasting effects. H414 Harmful to aquatic life with long lasting effects. H415 Harmful to aquatic life with long lasting effects. H416 H417 H428 H429 H449 H440 H440 H440 H440 H440 H440 H44	Asp. Tox 1	Aspiration Hazard Category 1
Flam. Liq. 3 Flammable Liquid, Hazard Category 3 Flam. Liq. 4 Flammable Liquid, Hazard Category 4 H226 Flammable liquid and vapour. Combustible liquid. H302 Harmful if swallowed. H303 May be harmful if swallowed. H304 May be fatal if swallowed and enters airways. H315 H316 Causes skin irritation. H316 Causes mild skin irritation. H317 May cause an allergic skin reaction. H319 Causes serious eye irritation. H319 Causes erious eye irritation. H400 Very toxic to aquatic life. H401 Toxic to aquatic life. H401 Harmful to aquatic life with long lasting effects. H411 Toxic to aquatic life with long lasting effects. H411 Harmful to aquatic life with long lasting effects. H412 Harmful to aquatic life with long lasting effects. H412 Harmful to aquatic life with long lasting effects. H412 Harmful to aquatic life with long lasting effects. H411 Harmful to aquatic life with long lasting effects. H412 Harmful to aquatic life with long lasting effects. H412 Harmful to aquatic life with long lasting effects. H412 Harmful to aquatic life with long lasting effects. H412 Harmful to aquatic life with long lasting effects. H412 Harmful to aquatic life with long lasting effects. H412 Harmful to aquatic life with long lasting effects. H412 Harmful to aquatic life with long lasting effects. H412 Harmful to aquatic life with long lasting effects. H414 Harmful container lightly closed. P233 Keep container lightly closed. Ground/bond container and receiving equipment. P241 Use explosion-proof electrical, ventilating and lighting equipment.	Eye Irrit. 2A	Eye Damage / Irritation Category 2A
Flam. Liq. 4  Flammable Liquid, Hazard Category 4  H226  Flammable liquid and vapour.  Combustible liquid.  H302  Harmful if swallowed.  H303  May be harmful if swallowed.  H304  May be fatal if swallowed and enters airways.  H312  Harmful in contact with skin.  H313  May be harmful in contact with skin.  H316  Causes skin irritation.  Causes mild skin irritation.  H317  May cause an allergic skin reaction.  H319  Causes serious eye irritation.  H320  Causes eye irritation.  H400  Very toxic to aquatic life.  H401  Toxic to aquatic life.  H402  Harmful to aquatic life with long lasting effects.  H411  Toxic to aquatic life with long lasting effects.  H411  Toxic to aquatic life with long lasting effects.  H412  Harmful to aquatic life with long lasting effects.  H412  Harmful to aquatic life with long lasting effects.  P210  Keep away from heat, sparks, open flames and hot surfaces No smoking.  P233  Keep container tightly closed.  Ground/bond container and receiving equipment.  P241  Use explosion-proof electrical, ventilating and lighting equipment.	Eye Irrit. 2B	Eye Damage / Irritation Category 2B
Flammable liquid and vapour.  Combustible liquid.  Harmful if swallowed.  Hannoul if swallowed.  May be harmful if swallowed.  Hannoul if swallowed.  May be fatal if swallowed and enters airways.  Hannoul in contact with skin.  Hannoul in contact with skin.  Hannoul in contact with skin.  Causes skin irritation.  Causes mild skin irritation.  May cause an allergic skin reaction.  May cause an allergic skin reaction.  Causes serious eye irritation.  Causes eye irritation.  Causes eye irritation.  Causes eye irritation.  Very toxic to aquatic life.  Hannoul in cause tife.  Hann	Flam. Liq. 3	Flammable Liquid, Hazard Category 3
H227 Combustible liquid. H302 Harmful if swallowed. H303 May be harmful if swallowed. H304 May be fatal if swallowed and enters airways. H315 Harmful in contact with skin. H316 Causes skin irritation. H317 May cause an allergic skin reaction. H319 Causes serious eye irritation. H319 Causes serious eye irritation. H320 Causes eye irritation. H400 Very toxic to aquatic life. H401 Toxic to aquatic life. H401 Toxic to aquatic life. H410 Very toxic to aquatic life with long lasting effects. H411 Toxic to aquatic life with long lasting effects. H412 Harmful to aquatic life with long lasting effects. H412 Harmful to aquatic life with long lasting effects. H230 Keep away from heat, sparks, open flames and hot surfaces No smoking. H231 Keep container tightly closed. H242 Use explosion-proof electrical, ventilating and lighting equipment.	Flam. Liq. 4	Flammable Liquid, Hazard Category 4
H302 Harmful if swallowed. H303 May be harmful if swallowed. H304 May be fatal if swallowed and enters airways. H312 Harmful in contact with skin. H313 May be harmful in contact with skin. H315 Causes skin irritation. H316 Causes mild skin irritation. H317 May cause an allergic skin reaction. H319 Causes serious eye irritation. H320 Causes serious eye irritation. H400 Very toxic to aquatic life. H401 Toxic to aquatic life. H402 Harmful to aquatic life. H410 Very toxic to aquatic life with long lasting effects. H411 Toxic to aquatic life with long lasting effects. H412 Harmful to aquatic life with long lasting effects. P210 Keep away from heat, sparks, open flames and hot surfaces No smoking. P233 Keep container tightly closed. P240 Ground/bond container and receiving equipment. P241 Use explosion-proof electrical, ventilating and lighting equipment.	H226	Flammable liquid and vapour.
H303 May be harmful if swallowed. H304 May be fatal if swallowed and enters airways. H312 Harmful in contact with skin. H313 May be harmful in contact with skin. H315 Causes skin irritation. H316 Causes mild skin irritation. H317 May cause an allergic skin reaction. H319 Causes serious eye irritation. H320 Causes serious eye irritation. H400 Very toxic to aquatic life. H401 Toxic to aquatic life. H402 Harmful to aquatic life. H410 Very toxic to aquatic life with long lasting effects. H411 Toxic to aquatic life with long lasting effects. H412 Harmful to aquatic life with long lasting effects. P210 Keep away from heat, sparks, open flames and hot surfaces No smoking. P233 Keep container tightly closed. P240 Ground/bond container and receiving equipment. P241 Use explosion-proof electrical, ventilating and lighting equipment.	H227	Combustible liquid.
H304 May be fatal if swallowed and enters airways.  H312 Harmful in contact with skin.  H313 May be harmful in contact with skin.  H315 Causes skin irritation.  H316 Causes mild skin irritation.  H317 May cause an allergic skin reaction.  H319 Causes serious eye irritation.  H320 Causes eye irritation.  H400 Very toxic to aquatic life.  H401 Toxic to aquatic life.  H402 Harmful to aquatic life.  H410 Very toxic to aquatic life with long lasting effects.  H411 Toxic to aquatic life with long lasting effects.  H412 Harmful to aquatic life with long lasting effects.  H412 Harmful to aquatic life with long lasting effects.  P210 Keep away from heat, sparks, open flames and hot surfaces No smoking.  P233 Keep container tightly closed.  P240 Ground/bond container and receiving equipment.  P241 Use explosion-proof electrical, ventilating and lighting equipment.	H302	Harmful if swallowed.
Harmful in contact with skin.  Causes skin irritation.  Harmful in causes an allergic skin reaction.  Harmful in causes erious eye irritation.  Harmful in causes erious eye irritation.  Harmful in causes eye irritation.  Harmful in causes eye irritation.  Harmful in cause eye irritation.  Harmful in contact with skin.  Harmful in cause eye irritation.  Har	H303	May be harmful if swallowed.
H313 May be harmful in contact with skin.  Causes skin irritation.  Causes mild skin irritation.  H316 Causes mild skin irritation.  H317 May cause an allergic skin reaction.  H319 Causes serious eye irritation.  H320 Causes eye irritation.  H400 Very toxic to aquatic life.  H401 Toxic to aquatic life.  H402 Harmful to aquatic life.  H410 Very toxic to aquatic life with long lasting effects.  H411 Toxic to aquatic life with long lasting effects.  H412 Harmful to aquatic life with long lasting effects.  P210 Keep away from heat, sparks, open flames and hot surfaces No smoking.  Keep container tightly closed.  P240 Ground/bond container and receiving equipment.  P241 Use explosion-proof electrical, ventilating and lighting equipment.	H304	May be fatal if swallowed and enters airways.
H315 Causes skin irritation.  H316 Causes mild skin irritation.  H317 May cause an allergic skin reaction.  H319 Causes serious eye irritation.  H320 Causes eye irritation.  H400 Very toxic to aquatic life.  H401 Toxic to aquatic life.  H402 Harmful to aquatic life.  H410 Very toxic to aquatic life with long lasting effects.  H411 Toxic to aquatic life with long lasting effects.  H412 Harmful to aquatic life with long lasting effects.  H210 Keep away from heat, sparks, open flames and hot surfaces No smoking.  P233 Keep container tightly closed.  P240 Ground/bond container and receiving equipment.  P241 Use explosion-proof electrical, ventilating and lighting equipment.  P242 Use only non-sparking tools.	H312	Harmful in contact with skin.
H316 Causes mild skin irritation. H317 May cause an allergic skin reaction. H319 Causes serious eye irritation. H320 Causes eye irritation. H400 Very toxic to aquatic life. H401 Toxic to aquatic life. H402 Harmful to aquatic life. H410 Very toxic to aquatic life with long lasting effects. H411 Toxic to aquatic life with long lasting effects. H412 Harmful to aquatic life with long lasting effects. H210 Keep away from heat, sparks, open flames and hot surfaces No smoking. P233 Keep container tightly closed. P240 Ground/bond container and receiving equipment. P241 Use explosion-proof electrical, ventilating and lighting equipment. P242 Use only non-sparking tools.	H313	May be harmful in contact with skin.
H317 May cause an allergic skin reaction. H319 Causes serious eye irritation. H320 Causes eye irritation. H400 Very toxic to aquatic life. H401 Toxic to aquatic life. H402 Harmful to aquatic life. H410 Very toxic to aquatic life with long lasting effects. H411 Toxic to aquatic life with long lasting effects. H412 Harmful to aquatic life with long lasting effects. H210 Keep away from heat, sparks, open flames and hot surfaces No smoking. H233 Keep container tightly closed. H240 Ground/bond container and receiving equipment. H242 Use explosion-proof electrical, ventilating and lighting equipment. H242 Use only non-sparking tools.	H315	Causes skin irritation.
H319 Causes serious eye irritation. H320 Causes eye irritation. H400 Very toxic to aquatic life. H401 Toxic to aquatic life. H402 Harmful to aquatic life. H410 Very toxic to aquatic life with long lasting effects. H411 Toxic to aquatic life with long lasting effects. H412 Harmful to aquatic life with long lasting effects. H412 Keep away from heat, sparks, open flames and hot surfaces No smoking. P233 Keep container tightly closed. P240 Ground/bond container and receiving equipment. P241 Use explosion-proof electrical, ventilating and lighting equipment. P242 Use only non-sparking tools.	H316	Causes mild skin irritation.
H320 Causes eye irritation. H400 Very toxic to aquatic life. H401 Toxic to aquatic life. H402 Harmful to aquatic life. H410 Very toxic to aquatic life with long lasting effects. H411 Toxic to aquatic life with long lasting effects. H412 Harmful to aquatic life with long lasting effects. H210 Keep away from heat, sparks, open flames and hot surfaces No smoking. H233 Keep container tightly closed. H240 Ground/bond container and receiving equipment. H241 Use explosion-proof electrical, ventilating and lighting equipment. H242 Use only non-sparking tools.	H317	May cause an allergic skin reaction.
H400 Very toxic to aquatic life.  H401 Toxic to aquatic life.  H402 Harmful to aquatic life.  H410 Very toxic to aquatic life with long lasting effects.  H411 Toxic to aquatic life with long lasting effects.  H412 Harmful to aquatic life with long lasting effects.  P210 Keep away from heat, sparks, open flames and hot surfaces No smoking.  P233 Keep container tightly closed.  P240 Ground/bond container and receiving equipment.  P241 Use explosion-proof electrical, ventilating and lighting equipment.  P242 Use only non-sparking tools.	H319	Causes serious eye irritation.
H401 Toxic to aquatic life.  H402 Harmful to aquatic life.  H410 Very toxic to aquatic life with long lasting effects.  H411 Toxic to aquatic life with long lasting effects.  H412 Harmful to aquatic life with long lasting effects.  P210 Keep away from heat, sparks, open flames and hot surfaces No smoking.  P233 Keep container tightly closed.  P240 Ground/bond container and receiving equipment.  P241 Use explosion-proof electrical, ventilating and lighting equipment.  P242 Use only non-sparking tools.	H320	Causes eye irritation.
H402 Harmful to aquatic life.  H410 Very toxic to aquatic life with long lasting effects.  H411 Toxic to aquatic life with long lasting effects.  H412 Harmful to aquatic life with long lasting effects.  P210 Keep away from heat, sparks, open flames and hot surfaces No smoking.  P233 Keep container tightly closed.  P240 Ground/bond container and receiving equipment.  P241 Use explosion-proof electrical, ventilating and lighting equipment.  P242 Use only non-sparking tools.	H400	Very toxic to aquatic life.
H410 Very toxic to aquatic life with long lasting effects.  H411 Toxic to aquatic life with long lasting effects.  H412 Harmful to aquatic life with long lasting effects.  P210 Keep away from heat, sparks, open flames and hot surfaces No smoking.  P233 Keep container tightly closed.  P240 Ground/bond container and receiving equipment.  P241 Use explosion-proof electrical, ventilating and lighting equipment.  P242 Use only non-sparking tools.	H401	Toxic to aquatic life.
H411 Toxic to aquatic life with long lasting effects.  H412 Harmful to aquatic life with long lasting effects.  P210 Keep away from heat, sparks, open flames and hot surfaces No smoking.  P233 Keep container tightly closed.  P240 Ground/bond container and receiving equipment.  P241 Use explosion-proof electrical, ventilating and lighting equipment.  P242 Use only non-sparking tools.	H402	Harmful to aquatic life.
H412 Harmful to aquatic life with long lasting effects.  P210 Keep away from heat, sparks, open flames and hot surfaces No smoking.  P233 Keep container tightly closed.  P240 Ground/bond container and receiving equipment.  P241 Use explosion-proof electrical, ventilating and lighting equipment.  P242 Use only non-sparking tools.	H410	Very toxic to aquatic life with long lasting effects.
P210 Keep away from heat, sparks, open flames and hot surfaces No smoking.  P233 Keep container tightly closed.  P240 Ground/bond container and receiving equipment.  P241 Use explosion-proof electrical, ventilating and lighting equipment.  P242 Use only non-sparking tools.	H411	Toxic to aquatic life with long lasting effects.
P233 Keep container tightly closed.  P240 Ground/bond container and receiving equipment.  P241 Use explosion-proof electrical, ventilating and lighting equipment.  P242 Use only non-sparking tools.	H412	Harmful to aquatic life with long lasting effects.
P240 Ground/bond container and receiving equipment.  P241 Use explosion-proof electrical, ventilating and lighting equipment.  P242 Use only non-sparking tools.	P210	Keep away from heat, sparks, open flames and hot surfaces No smoking.
P241 Use explosion-proof electrical, ventilating and lighting equipment. P242 Use only non-sparking tools.	P233	Keep container tightly closed.
P242 Use only non-sparking tools.	P240	Ground/bond container and receiving equipment.
	P241	Use explosion-proof electrical, ventilating and lighting equipment.
P243 Take precautionary measures against static discharge	P242	Use only non-sparking tools.
1 and productionary moderno against static distribution.	P243	Take precautionary measures against static discharge.





Version: 3 (05/26/2023)

## **SAFETY DATA SHEET**

In accordance with UN GHS latest edition

**Product:** Compare to aroma CANDY FLUFF by Lush ® F20057

Version: 3

P261	Avoid breathing vapour or dust.
P264	Wash hands and other contacted skin thoroughly after handling.
P270	Do not eat, drink or smoke when using this product.
P272	Contaminated work clothing should not be allowed out of the workplace.
P273	Avoid release to the environment.
P280	Wear protective gloves/eye protection/face protection.
P301/310	IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician.
P301/312	IF SWALLOWED: call a POISON CENTER or doctor/physician if you feel unwell.
P302/352	IF ON SKIN: Wash with plenty of soap and water.
P303/361/353	IF ON SKIN (or hair): Remove/take off immediately all contaminated clothing. Rinse skin with water/shower.
P305/351/338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P312	Call a POISON CENTRE or doctor/physician if you feel unwell.
P330	Rinse mouth.
P331	Do not induce vomiting.
P332/313	If skin irritation occurs: Get medical advice/attention.
P333/313	If skin irritation or rash occurs: Get medical advice/attention.
P337/313	If eye irritation persists: Get medical advice/attention.
P362	Take off contaminated clothing and wash before reuse.
P363	Wash contaminated clothing before reuse.
P370/378	In case of fire: Use carbon dioxide, dry chemical, foam for extinction.
P391	Collect spillage.
P403/235	Store in a well-ventilated place. Keep cool.
P405	Store locked up.
P501	Dispose of contents/container to approved disposal site, in accordance with local regulations.
Skin Irrit. 2	Skin Corrosion / Irritation Category 2
Skin Irrit. 3	Skin Corrosion / Irritation Category 3
Skin Sens. 1	Sensitization - Skin Category 1
Skin Sens. 1A	Sensitization - Skin Category 1A
Skin Sens. 1B	Sensitization - Skin Category 1B

The information in this safety data sheet is to the best of our knowledge true and accurate but all data, instructions, recommendations and/or suggestions are made without guarantee.