

Page 1 (11) Issue date: 09/10/2024 Version: 8 (06/27/2024)

## SAFETY DATA SHEET

In accordance with UN GHS latest edition

Product: Compare To EUCALYPTUS SPEARMINT by Peak Candle ® F30786

Version: 8

### Section 1. Identification of the substance or the mixture and of the supplier

- **1.1 Product Identifier**
- Product identifier: Compare To EUCALYPTUS SPEARMINT by Peak Candle ® F30786(Contains:3 and 4-(4-Hydroxy-4-methylpentyl)-3-cyclohexene-1-carboxaldehyde, Eucalyptol, d-Limonene, delta-1-(2,6,6-Trimethyl-3-cyclohexen-1-yl)-2-buten-1-one)
- Other identifiers: None

### 1.2 Relevant identified uses of the substance of mixture and uses advised against

Product uses: Fragrances

### **1.3 Details of the supplier of the safety data sheet**

Company name:	Aromatic Fragrances International, Inc
Company address:	85 Wansley Drive SE

	Cartersville
	GA 30121
	USA
Contact:	Regulatory Affairs
E-Mail address:	regulatory@afi-usa.com
Company phone:	770-334-3906
1.4 Emergency telepho	one number
Emergency phone:	770-334-3906

#### Section 2. Hazards identification

#### 2.1 Classification of the substance or mixture

Class and category of danger:	Flammable Liquid, Hazard Category 4 Skin Corrosion / Irritation Category 2 Eye Damage / Irritation Category 2 Sensitization - Skin Category 1 Hazardous to the Aquatic Environment - Acute Hazard Category 2 Hazardous to the Aquatic Environment - Long-term Hazard Category 2 H227, Combustible liquid. H315, Causes skin irritation. H317, May cause an allergic skin reaction. H319, Causes serious eye irritation.
2.2 Label elements	H411, Toxic to aquatic life with long lasting effects.
Signal word:	Warning
Hazard statements:	H227, Combustible liquid. H315, Causes skin irritation. H317, May cause an allergic skin reaction.



Page 2 (11) Issue date: 09/10/2024 Version: 8 (06/27/2024)

# SAFETY DATA SHEET

In accordance with UN GHS latest edition

	in accordance with on Grid latest edition			
Product:	Compare To EUCALYPTUS SPEARMINT by Peak Candle ® F30786			
Version:	8			
	H319, Causes serious eye irritation. H411, Toxic to aquatic life with long lasting effects.			
Precautionary statements:	<ul> <li>P210, Keep away from heat, sparks, open flames and hot surfaces No smoking.</li> <li>P261, Avoid breathing vapour or dust.</li> <li>P264, Wash hands and other contacted skin thoroughly after handling.</li> <li>P272, Contaminated work clothing should not be allowed out of the workplace.</li> <li>P273, Avoid release to the environment.</li> <li>P280, Wear protective gloves/eye protection/face protection.</li> <li>P302/352, IF ON SKIN: Wash with plenty of soap and water.</li> <li>P305/351/338, IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.</li> <li>P333/313, If skin irritation or rash occurs: Get medical advice/attention.</li> <li>P362, Take off contaminated clothing and wash before reuse.</li> <li>P370/378, In case of fire: Use carbon dioxide, dry chemical, foam for extinction.</li> <li>P391, Collect spillage.</li> <li>P403/235, Store in a well-ventilated place. Keep cool.</li> <li>P501, Dispose of contents/container to approved disposal site, in accordance with local regulations.</li> </ul>			
Pictograms:				

2.3 Other hazards Other hazards:

None

### Section 3. Composition / information on ingredients

### 3.2 Mixtures

### Contains:

Name	CAS	%	GHS Classification
Dihydromyrcenol	18479-58-8	5-<10%	Flam. Liq. 4-Acute Tox. 5-Skin Irrit. 2-Eye Irrit. 2A- Aquatic Acute 3;H227-H303-H315-H319-H402
LILIAL SUB		1-<5%	Skin Irrit. 2-Eye Irrit. 2-Skin Sens. 1;H315-H317-H319
2-Isobutyl-4-methyltetrahydro- 2H-pyran-4-ol	63500-71-0	1-<5%	Eye Irrit. 2A;H319
Benzyl acetate	140-11-4	1-<5%	Acute Tox. 5-Aquatic Acute 2-Aquatic Chronic 3;H303- H401-H412
d-Limonene	5989-27-5	1-<5%	Flam. Liq. 3-Skin Irrit. 2-Skin Sens. 1B-Asp. Tox 1- Aquatic Acute 1-Aquatic Chronic 3;H226-H304-H315- H317-H400-H412



Page 3 (11) Issue date: 09/10/2024 Version: 8 (06/27/2024)

## SAFETY DATA SHEET

In accordance with UN GHS latest edition

### Product: Compare To EUCALYPTUS SPEARMINT by Peak Candle ® F30786

### Version: 8

alpha-Terpineol	98-55-5	1-<5%	Flam. Liq. 4-Acute Tox. 5-Skin Irrit. 2-Eye Irrit. 2A- Aquatic Acute 2;H227-H303-H315-H319-H401	
Eucalyptol	470-82-6	1-<5%	Flam. Liq. 3-Acute Tox. 5-Eye Irrit. 2B-Skin Sens. 1E Aquatic Acute 3;H226-H303-H317-H320-H402	
Amyl salicylate	2050-08-0	1-<5%	Acute Tox. 4-Aquatic Acute 1-Aquatic Chronic 1;H30 H410	
Benzyl salicylate	118-58-1	1-<5%	Acute Tox. 5-Eye Irrit. 2B-Skin Sens. 1B-Aquatic Acute 2-Aquatic Chronic 3;H303-H317-H320-H401-H412	
dl-Citronellol	106-22-9	1-<5%	Acute Tox. 5-Skin Irrit. 2-Eye Irrit. 2A-Skin Sens. 1B- Aquatic Acute 2;H303-H313-H315-H317-H319-H401	
3,7-Dimethyl-1,6-nonadien-3-ol	10339-55-6	1-<5%	Flam. Liq. 4-Acute Tox. 5-Eye Irrit. 2A-Skin Sens. 1B- Aquatic Acute 3;H227-H303-H317-H319-H402	
alpha-Hexylcinnamaldehyde	101-86-0	1-<5%	Acute Tox. 5-Skin Sens. 1B-Aquatic Acute 1-Aquatic Chronic 2;H303-H317-H400-H411	
2-sec-Butylcyclohexanone	14765-30-1	0.1-<1%	Flam. Liq. 4-Acute Tox. 5-Skin Irrit. 2-Aquatic Acute 3; H227-H303-H315-H402	
Allyl cyclohexanepropionate	2705-87-5	0.1-<1%	Acute Tox. 4-Acute Tox. 4-Acute Tox. 4-Skin Sens. 1- Aquatic Acute 1-Aquatic Chronic 1;H302-H312-H317- H332-H410	
alpha-iso-Methylionone	127-51-5	0.1-<1%	Skin Sens. 1B-Aquatic Acute 2-Aquatic Chronic 2; H317-H411	
2,2-Dimethyl-3-phenylpropanol	13351-61-6	0.1-<1%	Acute Tox. 4-Skin Irrit. 2-Eye Irrit. 2A-Aquatic Acute 3- Aquatic Chronic 3;H302-H315-H319-H412	
Linalyl acetate	115-95-7	0.1-<1%	Flam. Liq. 4-Skin Irrit. 2-Eye Irrit. 2B-Skin Sens. 1B- Aquatic Acute 3;H227-H315-H317-H320-H402	
Geraniol	106-24-1	0.1-<1%	Acute Tox. 5-Skin Irrit. 2-Eye Dam. 1-Skin Sens. 1- Aquatic Acute 3;H303-H315-H317-H318-H402	
3-(5,5,6-Trimethylbicyclo[2.2.1] hept-2-yl)cyclohexan-1-ol	3407-42-9	0.1-<1%	Eye Irrit. 2A-Aquatic Acute 1-Aquatic Chronic 2;H319- H400-H411	
1,3,4,6,7,8-Hexahydro- 4,6,6,7,8,8- hexamethylcyclopenta-gamma- 2-benzopyran	1222-05-5	0.1-<1%	Aquatic Acute 1-Aquatic Chronic 1;H410	
1-(1,2,3,4,5,6,7,8-Octahydro- 2,3,8,8-tetramethyl-2- naphthalenyl)ethanone	54464-57-2	0.1-<1%	Skin Irrit. 2-Skin Sens. 1B-Aquatic Acute 2-Aquatic Chronic 1;H315-H317-H401-H410	
Carvone	99-49-0	0.1-<1%	Flam. Liq. 4-Acute Tox. 5-Skin Sens. 1B-Aquatic Acute 2;H227-H303-H313-H317-H401	
3-(o-Ethylphenyl)-2,2- dimethylpropionaldehyde	67634-14-4	0.1-<1%	Skin Irrit. 2-Skin Sens. 1B-Aquatic Acute 1-Aquatic Chronic 2;H315-H317-H400-H411	
Acetyl cedrene	32388-55-9	0.1-<1%	Acute Tox. 5-Skin Sens. 1B-Aquatic Acute 1-Aquatic Chronic 1;H303-H317-H410	
Coumarin	91-64-5	0.1-<1%	Acute Tox. 4-Skin Sens. 1B-Aquatic Acute 3;H302- H317-H402	
1-Methyl-3-(4-methyl-3-pentenyl) cyclohex-3-ene-1-carbaldehyde	52474-60-9	0.1-<1%	Aquatic Acute 1-Aquatic Chronic 1;H410	
3 and 4-(4-Hydroxy-4-	31906-04-4	0.1-<1%	Skin Sens. 1A-Aquatic Acute 3;H317-H402	
delta-1-(2.6.6-Trimethyl-3-	57378-68-4	0.1-<1%	Acute Tox. 4-Skin Irrit. 2-Skin Sens. 1A-Aquatic Acute 1-Aquatic Chronic 1;H302-H315-H317-H410	
	6259-76-3	0.1-<1%	Skin Sens. 1B-Aquatic Acute 1-Aquatic Chronic 1; H317-H410	
alpha-1-(2,6,6-Trimethyl-2- cyclohexen-1-yl)-2-buten-1-one	43052-87-5	0.1-<1%	Acute Tox. 4-Skin Sens. 1B-Aquatic Acute 2-Aquatic Chronic 2;H302-H313-H317-H411	
Citronellyl acetate	150-84-5	0.1-<1%	Skin Irrit. 2-Aquatic Acute 2-Aquatic Chronic 2;H315- H411	

### Substances with workplace exposure limits, not listed above:

Not Applicable



Page 4 (11) Issue date: 09/10/2024 Version: 8 (06/27/2024)

## SAFETY DATA SHEET

In accordance with UN GHS latest edition

Product: Compare To EUCALYPTUS SPEARMINT by Peak Candle ® F30786

Version: 8

### Section 4. First-aid measures

#### 4.1 Description of first aid measures

Inhalation: Remove from exposure site to fresh air, keep at rest, and obtain medical attention.

**Eye exposure:** IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

Skin exposure: IF ON SKIN: Wash with plenty of soap and water.

**Ingestion:** Rinse mouth with water and obtain medical attention.

### 4.2 Most important symptoms and effects, both acute and delayed

Causes skin irritation.

May cause an allergic skin reaction.

Causes serious eye irritation.

4.3 Indication of any immediate medical attention and special treatment needed

None expected, see Section 4.1 for further information.

### **SECTION 5: Firefighting measures**

### 5.1 Extinguishing media

Suitable media: Carbon dioxide, Dry chemical, Foam.

### 5.2 Special hazards arising from the substance or mixture

In case of fire, may be liberated: Carbon monoxide, Unidentified organic compounds.

### 5.3 Advice for fire fighters:

In case of insufficient ventilation, wear suitable respiratory equipment.

### Section 6. Accidental release measures

### 6.1 Personal precautions, protective equipment and emergency procedures:

Avoid inhalation. Avoid contact with skin and eyes. See protective measures under Section 7 and 8.

### 6.2 Environmental precautions:

Keep away from drains, surface and ground water, and soil.

### 6.3 Methods and material for containment and cleaning up:

Remove ignition sources. Provide adequate ventilation. Avoid excessive inhalation of vapours. Contain spillage immediately by use of sand or inert powder. Dispose of according to local regulations.

### 6.4 Reference to other sections:

Also refer to sections 8 and 13.



Page 5 (11) Issue date: 09/10/2024 Version: 8 (06/27/2024)

## SAFETY DATA SHEET

In accordance with UN GHS latest edition

### Product: Compare To EUCALYPTUS SPEARMINT by Peak Candle ® F30786

Version: 8

### Section 7. Handling and storage

### 7.1 Precautions for safe handling:

Keep away from heat, sparks, open flames and hot surfaces. - No smoking. Use personal protective equipment as required. Use in accordance with good manufacturing and industrial hygiene practices. Use in areas with adequate ventilation Do not eat, drink or smoke when using this product.

### 7.2 Conditions for safe storage, including any incompatibilities:

Store in a well-ventilated place. Keep container tightly closed. Keep cool. Ground/bond container and receiving equipment. Use explosion-proof electrical, ventilating and lighting equipment. Use only non-sparking tools. Take precautionary measures against static discharge.

### 7.3 Specific end use(s):

Fragrances: Use in accordance with good manufacturing and industrial hygiene practices.

### Section 8. Exposure controls/personal protection

### 8.1 Control parameters

Workplace exposure limits: Not Applicable

### **8.2 Exposure Controls**

### Eye / Skin Protection

Wear protective gloves/eye protection/face protection

### **Respiratory Protection**

Under normal conditions of use and where adequate ventilation is available to prevent build up of excessive vapour, this material should not require special engineering controls. However, in conditions of high or prolonged use, or high temperature or other conditions which increase exposure, the following engineering controls can be used to minimise exposure to personnel: a) Increase ventilation of the area with local exhaust ventilation. b) Personnel can use an approved, appropriately fitted respirator with organic vapour cartridge or canisters and particulate filters. c) Use closed systems for transferring and processing this material.

Also refer to Sections 2 and 7.

### Section 9. Physical and chemical properties

#### 9.1 Information on basic physical and chemical properties

Appearance:	Free flowing liquid without sediment	
Odour:	Characteristic	
Odour threshold:	Not determined	
pH:	Not determined	
Melting point / freezing point:	Not determined	
Initial boiling point / range:	Not determined	
Flash point:	91 °C	
Evaporation rate:	Not determined	
Flammability (solid, gas):	Not determined	



Page 6 (11) Issue date: 09/10/2024 Version: 8 (06/27/2024)

## SAFETY DATA SHEET

In accordance with UN GHS latest edition

Product: Compare To EUCALYPTUS SPEARMINT by Peak Candle ® F30786

Version: 8

Upper/lower flammability or explosive limits:	Product does not present an explosion hazard
Vapour pressure:	Not determined
Vapour density:	Not determined
Relative density:	1.0320 - 1.0420
Solubility(ies):	Not determined
Partition coefficient: n-octanol/water:	Not determined
Auto-ignition temperature:	Not determined
Decomposition temperature:	Not determined
Viscosity:	Not determined
Explosive properties:	Not expected
Oxidising properties:	Not expected

9.2 Other information:

Refractive Index @ 20C:	1.5285 - 1.5315
Flash Point (Fahrenheit):	196 °F
Calculated VOC:	0.00
Color Range:	3 Very Pale Yellow - 1 Very Pale Yellow

### Section 10. Stability and reactivity

#### 10.1 Reactivity:

Presents no significant reactivity hazard, by itself or in contact with water.

### 10.2 Chemical stability:

Good stability under normal storage conditions.

### 10.3 Possibility of hazardous reactions:

Not expected under normal conditions of use.

### 10.4 Conditions to avoid:

Avoid extreme heat.

### 10.5 Incompatible materials:

Avoid contact with strong acids, alkalis or oxidising agents.

### 10.6 Hazardous decomposition products:

Not expected.

### Section 11. Toxicological information

### 11.1 Information on toxicological effects

This mixture has not been tested as a whole for health effects. The health effects have been calculated using the methods outlined in UN GHS.

### Acute Toxicity:

Acute Toxicity Oral

Based on available data the classification criteria are not met.

>5000



Page 7 (11) Issue date: 09/10/2024 Version: 8 (06/27/2024)

## SAFETY DATA SHEET

In accordance with UN GHS latest edition

### Product: Compare To EUCALYPTUS SPEARMINT by Peak Candle ® F30786

Version: 8

Acute Toxicity Dermal	>5000
Acute Toxicity Inhalation	Not Available
Skin corrosion/irritation:	Skin Corrosion / Irritation Category 2
Serious eye damage/irritation:	Eye Damage / Irritation Category 2
Respiratory or skin sensitisation:	Sensitization - Skin Category 1
Germ cell mutagenicity:	Based on available data the classification criteria are not met.
Carcinogenicity:	Based on available data the classification criteria are not met.
Reproductive toxicity:	Based on available data the classification criteria are not met.
STOT-single exposure:	Based on available data the classification criteria are not met.
STOT-repeated exposure:	Based on available data the classification criteria are not met.
Aspiration hazard:	Based on available data the classification criteria are not met.

### Information about hazardous ingredients in the mixture

Ingredient	CAS	LD50/ATE Oral	LD50/ATE Dermal	LC50/ATE Inhalation	LC50 Route
3,7-Dimethyl-1,6- nonadien-3-ol	10339-55-6	5000	Not available	Not available	Not available
Amyl salicylate	2050-08-0	2000	Not available	Not available	Not available
Benzyl acetate	140-11-4	2490	Not available	Not available	Not available
Benzyl salicylate	118-58-1	2200	Not available	Not available	Not available
Dihydromyrcenol	18479-58-8	3600	Not available	Not available	Not available
Eucalyptol	470-82-6	2480	Not available	Not available	Not available
alpha- Hexylcinnamaldehyde	101-86-0	3100	Not available	Not available	Not available
alpha-Terpineol	98-55-5	4300	Not available	Not available	Not available
dl-Citronellol	106-22-9	3450	2650	Not available	Not available

Refer to Sections 2 and 3 for additional information.

### Section 12. Ecological information

### 12.1 Toxicity:

Toxic to aquatic life with long lasting effects.

12.2 Persistence and degradability:	Not available
12.3 Bioaccumulative potential:	Not available
12.4 Mobility in soil:	Not available
12.5 Other adverse effects:	Not available



Page 8 (11) Issue date: 09/10/2024 Version: 8 (06/27/2024)

### SAFETY DATA SHEET

In accordance with UN GHS latest edition

### Product: Compare To EUCALYPTUS SPEARMINT by Peak Candle ® F30786

Version: 8

### Section 13. Disposal considerations

### 13.1 Waste treatment methods:

Dispose of in accordance with local regulations. Avoid disposing into drainage systems and into the environment. Empty containers should be taken to an approved waste handling site for recycling or disposal.

### Section 14. Transport information

	14.1 UN number:	14.2 UN Proper Shipping Name:	14.3 Transport hazard class (es):	Sub Risk:	14.4. Packing Group:
UN Model Regulations	UN3082	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Amyl salicylate, Allyl cyclohexanepropionate)	9	-	
IMDG	UN3082	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Amyl salicylate, Allyl cyclohexanepropionate) MARINE POLLUTANT	9	-	111
ADR,RID,ADN	UN3082	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Amyl salicylate, Allyl cyclohexanepropionate)	9	-	
ICAO TI	UN3082	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Amyl salicylate, Allyl cyclohexanepropionate)	9	-	

14.5 Environmental hazards:

This is classified as an environmentally hazardous substance under the UN Model Regulations. This is classified as a Marine Pollutant under the IMDG Code.

14.6 Special precautions for user: None additional

**14.7 Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code:** Not applicable

Section 15. Regulatory information



Page 9 (11) Issue date: 09/10/2024 Version: 8 (06/27/2024)

## SAFETY DATA SHEET

In accordance with UN GHS latest edition

### Product: Compare To EUCALYPTUS SPEARMINT by Peak Candle ® F30786

Version: 8

#### Components listed on California's SB312

Name	CAS	%
BENZYL BENZOATE	120-51-4	50-100%
LINALOOL	78-70-6	1-<5%
D-LIMONENE	5989-27-5	1-<5%
BENZYL SALICYLATE ( R )	118-58-1	1-<5%
HEXYL CINNAMIC ALDEHYDE ( R )	101-86-0	1-<5%
METHYL IONONE GAMMA	127-51-5	0.1-<1%
GERANIOL 980	106-24-1	0.1-<1%
COUMARIN ( C )	91-64-5	0.1-<1%
LYRAL	31906-04-4	0.1-<1%

US Department Of Transport Bulk Packing III Group:

### Section 16. Other information

**Concentration % Limits:** 

SCI 2=87.06% SCI 3=6.58% EDI 2A=38.67% SS 1=40.00% EH A2=28. 88% EH A3=2.86% EH C2=62.35% EH C3=6.12% SCI 2=1.15 SCI 3=15.19 EDI 2A=2.59 SS 1=2.50 EH A2=3.46 EH A3=34. 94 EH C2=1.60 EH C3=16.34

**Total Fractional Values:** 

### Key to revisions:

Concentration % Limits Total Fractional Values

### Key to abbreviations:

Abbreviation	Meaning
Acute Tox. 4	Acute Toxicity - Oral Category 4
Acute Tox. 4	Acute Toxicity - Dermal Category 4
Acute Tox. 4	Acute Toxicity - Inhalation Category 4
Acute Tox. 5	Acute Toxicity - Oral Category 5
Aquatic Acute 1	Hazardous to the Aquatic Environment - Acute Hazard Category 1
Aquatic Acute 2	Hazardous to the Aquatic Environment - Acute Hazard Category 2
Aquatic Acute 3	Hazardous to the Aquatic Environment - Acute Hazard Category 3
Aquatic Chronic 1	Hazardous to the Aquatic Environment - Long-term Hazard Category 1
Aquatic Chronic 2	Hazardous to the Aquatic Environment - Long-term Hazard Category 2
Aquatic Chronic 3	Hazardous to the Aquatic Environment - Long-term Hazard Category 3
Asp. Tox 1	Aspiration Hazard Category 1
Eye Dam. 1	Eye Damage / Irritation Category 1
Eye Irrit. 2	Eye Damage / Irritation Category 2
Eye Irrit. 2A	Eye Damage / Irritation Category 2A
Eye Irrit. 2B	Eye Damage / Irritation Category 2B
Flam. Liq. 3	Flammable Liquid, Hazard Category 3



Page 10 (11) Issue date: 09/10/2024 Version: 8 (06/27/2024)

## SAFETY DATA SHEET

In accordance with UN GHS latest edition

### Product: Compare To EUCALYPTUS SPEARMINT by Peak Candle ® F30786

### Version:

8

Flam. Liq. 4	Flammable Liquid, Hazard Category 4	
H226		
H227	Flammable liquid and vapour. Combustible liquid.	
H302	Harmful if swallowed.	
	May be harmful if swallowed.	
H303		
H304	May be fatal if swallowed and enters airways.	
H312	Harmful in contact with skin.	
H313	May be harmful in contact with skin.	
H315	Causes skin irritation.	
H317	May cause an allergic skin reaction.	
H318	Causes serious eye damage.	
H319	Causes serious eye irritation.	
H320	Causes eye irritation.	
H332	Harmful if inhaled.	
H400	Very toxic to aquatic life.	
H401	Toxic to aquatic life.	
H402	Harmful to aquatic life.	
H410	Very toxic to aquatic life with long lasting effects.	
H411	Toxic to aquatic life with long lasting effects.	
H412	Harmful to aquatic life with long lasting effects.	
P210	Keep away from heat, sparks, open flames and hot surfaces No smoking.	
P233	Keep container tightly closed.	
P240	Ground/bond container and receiving equipment.	
P241	Use explosion-proof electrical, ventilating and lighting equipment.	
P242	Use only non-sparking tools.	
P243	Take precautionary measures against static discharge.	
P261	Avoid breathing vapour or dust.	
P264	Wash hands and other contacted skin thoroughly after handling.	
P270	Do not eat, drink or smoke when using this product.	
P271	Use only outdoors or in a well-ventilated area.	
P272	Contaminated work clothing should not be allowed out of the workplace.	
P273	Avoid release to the environment.	
P280	Wear protective gloves/eye protection/face protection.	
P301/310	IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician.	
P301/312	IF SWALLOWED: call a POISON CENTER or doctor/physician if you feel unwell.	
P302/352	IF ON SKIN: Wash with plenty of soap and water.	
P303/361/353	IF ON SKIN (or hair): Remove/take off immediately all contaminated clothing. Rinse skin with water/shower.	
P304/340	IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing.	
P305/351/338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.	
P310	Immediately call a POISON CENTER or doctor/physician.	
P312	Call a POISON CENTRE or doctor/physician if you feel unwell.	



Page 11 (11) Issue date: 09/10/2024 Version: 8 (06/27/2024)

## SAFETY DATA SHEET

In accordance with UN GHS latest edition

### Product: Compare To EUCALYPTUS SPEARMINT by Peak Candle ® F30786

#### Version:

8

P330	Rinse mouth.	
P331	Do not induce vomiting.	
P332/313	If skin irritation occurs: Get medical advice/attention.	
P333/313	If skin irritation or rash occurs: Get medical advice/attention.	
P337/313	If eye irritation persists: Get medical advice/attention.	
P362	Take off contaminated clothing and wash before reuse.	
P363	Wash contaminated clothing before reuse.	
P370/378	In case of fire: Use carbon dioxide, dry chemical, foam for extinction.	
P391	Collect spillage.	
P403/235	Store in a well-ventilated place. Keep cool.	
P405	Store locked up.	
P501	Dispose of contents/container to approved disposal site, in accordance with local regulations.	
Skin Irrit. 2	Skin Corrosion / Irritation Category 2	
Skin Sens. 1	Sensitization - Skin Category 1	
Skin Sens. 1A	Sensitization - Skin Category 1A	
Skin Sens. 1B	Sensitization - Skin Category 1B	

The information in this safety data sheet is to the best of our knowledge true and accurate but all data, instructions, recommendations and/or suggestions are made without guarantee.