

SAFETY DATA SHEET

In accordance with UN GHS latest edition

Product: CALMING WATER AND MELON F50896

Version: 3

Section 1. Identification of the substance or the mixture and of the supplier

1.1 Product Identifier

Product identifier: CALMING WATER AND MELON F50896(Contains:4-tert-Butylcyclohexyl acetate, delta-1-(2,6,6-Trimethyl-3-cyclohexen-1-yl)-2-buten-1-one)

Other identifiers: None

1.2 Relevant identified uses of the substance of mixture and uses advised against

- Product uses: Fragrances
- **1.3 Details of the supplier of the safety data sheet**
- **Company name:** Aromatic Fragrances International, Inc **Company address:** 85 Wansley Drive SE

Cartersville GA 30121 USA
Regulatory Affairs
regulatory@afi-usa.com
770-334-3906
one number
770-334-3906

Section 2. Hazards identification

2.1 Classification of the substance or mixture

Class and category of danger:	 Skin Corrosion / Irritation Category 3 Sensitization - Skin Category 1 Hazardous to the Aquatic Environment - Acute Hazard Category 2 Hazardous to the Aquatic Environment - Long-term Hazard Category 3 H316, Causes mild skin irritation. H317, May cause an allergic skin reaction. H401, Toxic to aquatic life. H412, Harmful to aquatic life with long lasting effects.
2.2 Label elements	
Signal word:	Warning
Hazard statements:	H316, Causes mild skin irritation. H317, May cause an allergic skin reaction. H401, Toxic to aquatic life. H412, Harmful to aquatic life with long lasting effects.
Precautionary statements:	P261, Avoid breathing vapour or dust. P272, Contaminated work clothing should not be allowed out of the workplace.



Page 2 (9) Issue date: 09/11/2024 Version: 3 (06/27/2024)

SAFETY DATA SHEET

In accordance with UN GHS latest edition

Product:	CALMING WATER AND MELON F50896
Version:	3
	P273, Avoid release to the environment. P280, Wear protective gloves/eye protection/face protection. P302/352, IF ON SKIN: Wash with plenty of soap and water. P333/313, If skin irritation or rash occurs: Get medical advice/attention. P363, Wash contaminated clothing before reuse.
	P501, Dispose of contents/container to approved disposal site, in accordance with local regulations.
Pictograms:	
2.3 Other haza	ırds

Section 3. Composition / information on ingredients

3.2 Mixtures

Other hazards:

None

Contains:

Name	CAS	%	GHS Classification	
Dihydromyrcenol	18479-58-8	5-<10%	Flam. Liq. 4-Acute Tox. 5-Skin Irrit. 2-Eye Irrit. 2A- Aquatic Acute 3;H227-H303-H315-H319-H402	
2-tert-Butylcyclohexyl acetate	88-41-5	5-<10%	Flam. Liq. 4-Acute Tox. 5-Aquatic Acute 2-Aquatic Chronic 2;H227-H303-H411	
Tricyclodecenyl acetate	5413-60-5	1-<5%	Acute Tox. 5-Aquatic Acute 3;H303-H402	
Benzyl acetate	140-11-4	1-<5%	Acute Tox. 5-Aquatic Acute 2-Aquatic Chronic 3;H303- H401-H412	
alpha-Terpineol	98-55-5	1-<5%	Flam. Liq. 4-Acute Tox. 5-Skin Irrit. 2-Eye Irrit. 2A- Aquatic Acute 2;H227-H303-H315-H319-H401	
4-tert-Butylcyclohexyl acetate	32210-23-4	1-<5%	Acute Tox. 5-Skin Sens. 1B-Aquatic Acute 2;H303- H317-H401	
Phenethyl alcohol	60-12-8	1-<5%	Acute Tox. 4-Eye Irrit. 2A;H302-H313-H319	
2-Methyl-3-(p-isopropylphenyl) propionaldehyde	103-95-7	0.1-<1%	Flam. Liq. 4-Acute Tox. 5-Skin Irrit. 2-Skin Sens. 1B- Aquatic Acute 2-Aquatic Chronic 3;H227-H303-H315- H317-H401-H412	
6,6-Dimethoxy-2,5,5- trimethylhex-2-ene	67674-46-8	0.1-<1%	Flam. Liq. 4-Skin Irrit. 2-Aquatic Acute 3-Aquatic Chronic 3;H227-H315-H412	
d-Limonene	5989-27-5	0.1-<1%	Flam. Liq. 3-Skin Irrit. 2-Skin Sens. 1B-Asp. Tox 1- Aquatic Acute 1-Aquatic Chronic 3;H226-H304-H315- H317-H400-H412	
Diphenyl ether	101-84-8	0.1-<1%	Acute Tox. 5-Eye Irrit. 2A-Aquatic Acute 1-Aquatic Chronic 3;H303-H319-H400-H412	
2-Methylundecanal	110-41-8	0.1-<1%	Flam. Liq. 4-Skin Irrit. 2-Skin Sens. 1B-Aquatic Acute 1- Aquatic Chronic 1;H227-H315-H317-H410	
2,6-Dimethyl-5-heptenal	106-72-9	0.1-<1%	Flam. Liq. 4-Skin Sens. 1B-Aquatic Acute 2;H227- H317-H401	
Allyl (cyclohexyloxy)acetate	68901-15-5	0.1-<1%	Acute Tox. 4-Aquatic Acute 1-Aquatic Chronic 1;H302- H410	



SAFETY DATA SHEET

In accordance with UN GHS latest edition

Product: CALMING WATER AND MELON F50896

Version: 3

3-(o-Ethylphenyl)-2,2- dimethylpropionaldehyde	67634-14-4	0.1-<1%	Skin Irrit. 2-Skin Sens. 1B-Aquatic Acute 1-Aquatic Chronic 2;H315-H317-H400-H411
cis-3-Hexenyl methyl carbonate	67633-96-9	0.1-<1%	Flam. Liq. 4-Skin Sens. 1B-Aquatic Acute 2;H227- H317-H401
Eucalyptol	470-82-6	0.1-<1%	Flam. Liq. 3-Acute Tox. 5-Eye Irrit. 2B-Skin Sens. 1B- Aquatic Acute 3;H226-H303-H317-H320-H402
2,4-Dimethyl-3-cyclohexen-1- carboxaldehyde	68039-49-6	0.1-<1%	Flam. Liq. 4-Acute Tox. 5-Skin Irrit. 2-Eye Irrit. 2A-Skin Sens. 1B-Aquatic Acute 2-Aquatic Chronic 2;H227- H303-H315-H317-H319-H411
Octanal	124-13-0	0.1-<1%	Flam. Liq. 3-Skin Irrit. 2-Eye Irrit. 2A-Aquatic Acute 2- Aquatic Chronic 2;H226-H315-H319-H411
delta-1-(2,6,6-Trimethyl-3- cyclohexen-1-yl)-2-buten-1-one	57378-68-4	0.1-<1%	Acute Tox. 4-Skin Irrit. 2-Skin Sens. 1A-Aquatic Acute 1-Aquatic Chronic 1;H302-H315-H317-H410

Substances with workplace exposure limits, not listed above:

Not Applicable

Section 4. First-aid measures

4.1 Description of first aid measures

Remove from exposure site to fresh air, keep at rest, and obtain medical attention.				
Flush immediately with water for at least 15 minutes. Contact physician if symptoms persist.				
IF ON SKIN: Wash with plenty of soap and water.				
Rinse mouth with water and obtain medical attention.				

4.2 Most important symptoms and effects, both acute and delayed

Causes mild skin irritation.

May cause an allergic skin reaction.

4.3 Indication of any immediate medical attention and special treatment needed

None expected, see Section 4.1 for further information.

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable media: Carbon dioxide, Dry chemical, Foam.

5.2 Special hazards arising from the substance or mixture

In case of fire, may be liberated: Carbon monoxide, Unidentified organic compounds.

5.3 Advice for fire fighters:

In case of insufficient ventilation, wear suitable respiratory equipment.

Section 6. Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures:

Avoid inhalation. Avoid contact with skin and eyes. See protective measures under Section 7 and 8.



Page 4 (9) Issue date: 09/11/2024 Version: 3 (06/27/2024)

SAFETY DATA SHEET

In accordance with UN GHS latest edition

Product: CALMING WATER AND MELON F50896

Version: 3

6.2 Environmental precautions:

Keep away from drains, surface and ground water, and soil.

6.3 Methods and material for containment and cleaning up:

Remove ignition sources. Provide adequate ventilation. Avoid excessive inhalation of vapours. Contain spillage immediately by use of sand or inert powder. Dispose of according to local regulations.

6.4 Reference to other sections:

Also refer to sections 8 and 13.

Section 7. Handling and storage

7.1 Precautions for safe handling:

Keep away from heat, sparks, open flames and hot surfaces. - No smoking. Use personal protective equipment as required. Use in accordance with good manufacturing and industrial hygiene practices. Use in areas with adequate ventilation Do not eat, drink or smoke when using this product.

7.2 Conditions for safe storage, including any incompatibilities:

Store in a well-ventilated place. Keep container tightly closed. Keep cool. Ground/bond container and receiving equipment. Use explosion-proof electrical, ventilating and lighting equipment. Use only non-sparking tools. Take precautionary measures against static discharge.

7.3 Specific end use(s):

Fragrances: Use in accordance with good manufacturing and industrial hygiene practices.

Section 8. Exposure controls/personal protection

8.1 Control parameters

Workplace exposure limits: Not Applicable

8.2 Exposure Controls

Eye / Skin Protection

Wear protective gloves/eye protection/face protection

Respiratory Protection

Under normal conditions of use and where adequate ventilation is available to prevent build up of excessive vapour, this material should not require special engineering controls. However, in conditions of high or prolonged use, or high temperature or other conditions which increase exposure, the following engineering controls can be used to minimise exposure to personnel: a) Increase ventilation of the area with local exhaust ventilation. b) Personnel can use an approved, appropriately fitted respirator with organic vapour cartridge or canisters and particulate filters. c) Use closed systems for transferring and processing this material.

Also refer to Sections 2 and 7.

Section 9. Physical and chemical properties

9.1 Information on basic physical and chemical properties

Appearance:

Free flowing liquid without sediment



Page 5 (9) Issue date: 09/11/2024 Version: 3 (06/27/2024)

SAFETY DATA SHEET

In accordance with UN GHS latest edition

Product:	CALMING WATER AND MELON F50896		
Version:	3		
Odour:		Characteristic	
Odour thres	hold:	Not determined	
pH:		Not determined	
Melting poin	t / freezing point:	Not determined	
Initial boiling	g point / range:	Not determined	
Flash point:		> 93 °C	
Evaporation	rate:	Not determined	
Flammability	y (solid, gas):	Not determined	
Upper/lower	flammability or explosive limits:	Product does not present an explosion hazard	
Vapour pres	sure:	Not determined	
Vapour dens	sity:	Not determined	
Relative den	sity:	-0.0050 - 0.0050	
Solubility(ie:	s):	Not determined	
Partition coe	efficient: n-octanol/water:	Not determined	
Auto-ignitio	n temperature:	Not determined	
Decomposit	ion temperature:	Not determined	
Viscosity:		Not determined	
Explosive p	roperties:	Not expected	
Oxidising pr	operties:	Not expected	
9 2 Other inf	formation:		

9.2 Other information:

 Refractive Index @ 20C:
 -0.0015 - 0.0015

 Flash Point (Fahrenheit):
 > 200 °F

Section 10. Stability and reactivity

10.1 Reactivity:

Presents no significant reactivity hazard, by itself or in contact with water.

10.2 Chemical stability:

Good stability under normal storage conditions.

10.3 Possibility of hazardous reactions:

Not expected under normal conditions of use.

10.4 Conditions to avoid:

Avoid extreme heat.

10.5 Incompatible materials:

Avoid contact with strong acids, alkalis or oxidising agents.

10.6 Hazardous decomposition products:

Not expected.



Page 6 (9) Issue date: 09/11/2024 Version: 3 (06/27/2024)

SAFETY DATA SHEET

In accordance with UN GHS latest edition

Product:	CALMING WATER AND MELON F50896
Product:	CALMING WATER AND MELON F5089

Version: 3

Section 11. Toxicological information

11.1 Information on toxicological effects

This mixture has not been tested as a whole for health effects. The health effects have been calculated using the methods outlined in UN GHS.

Acute Toxicity:	Based on available data the classification criteria are not met.
Acute Toxicity Oral	>5000
Acute Toxicity Dermal	>5000
Acute Toxicity Inhalation	Not Available
Skin corrosion/irritation:	Skin Corrosion / Irritation Category 3
Serious eye damage/irritation:	Based on available data the classification criteria are not met.
Respiratory or skin sensitisation:	Sensitization - Skin Category 1
Germ cell mutagenicity:	Based on available data the classification criteria are not met.
Carcinogenicity:	Based on available data the classification criteria are not met.
Reproductive toxicity:	Based on available data the classification criteria are not met.
STOT-single exposure:	Based on available data the classification criteria are not met.
STOT-repeated exposure:	Based on available data the classification criteria are not met.
Aspiration hazard:	Based on available data the classification criteria are not met.

Information about hazardous ingredients in the mixture

Ingredient	CAS	LD50/ATE Oral	LD50/ATE Dermal	LC50/ATE Inhalation	LC50 Route
2-tert-Butylcyclohexyl acetate	88-41-5	4600	Not available	Not available	Not available
4-tert-Butylcyclohexyl acetate	32210-23-4	3370	Not available	Not available	Not available
Benzyl acetate	140-11-4	2490	Not available	Not available	Not available
Dihydromyrcenol	18479-58-8	3600	Not available	Not available	Not available
Phenethyl alcohol	60-12-8	1610	2500	Not available	Not available
Tricyclodecenyl acetate	5413-60-5	3050	Not available	Not available	Not available
alpha-Terpineol	98-55-5	4300	Not available	Not available	Not available

Refer to Sections 2 and 3 for additional information.

Section 12. Ecological information

12.1 Toxicity:

Harmful to aquatic life with long lasting effects.

12.2 Persistence and degradability:	Not available
12.3 Bioaccumulative potential:	Not available
12.4 Mobility in soil:	Not available



Page 7 (9) Issue date: 09/11/2024 Version: 3 (06/27/2024)

SAFETY DATA SHEET

In accordance with UN GHS latest edition

Product: CALMING WATER AND MELON F50896

Version: 3

12.5 Other adverse effects: Not available

Section 13. Disposal considerations

13.1 Waste treatment methods:

Dispose of in accordance with local regulations. Avoid disposing into drainage systems and into the environment. Empty containers should be taken to an approved waste handling site for recycling or disposal.

Section 14. Transport information

	14.1 UN number:	14.2 UN Proper Shipping Name:	14.3 Transport hazard class (es):	Sub Risk:	14.4. Packing Group:
UN Model Regulations	Not classified	-	-	-	-
IMDG	Not classified	-	-	-	-
ADR,RID,ADN	Not classified	-	-	-	-
ΙCAO ΤΙ	Not classified	-	-	-	-

14.5 Environmental hazards:

Not environmentally hazardous for transport

14.6 Special precautions for user: None additional

14.7 Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code: Not classified

Section 15. Regulatory information

Essential Oil Components:

Name	CAS	%
ORANGE ESSENCE OIL	8008-57-9	0.1-<1%

Components listed on California's SB312

Name	CAS	%
BENZYL BENZOATE	120-51-4	10-<20%
LINALOOL	78-70-6	1-<5%

US Department Of Transport Bulk Packing - Group:

Naturally-Occuring Materials on Prop65:

Name	CAS	%
Myrcene	123-35-3	



Page 8 (9) Issue date: 09/11/2024 Version: 3 (06/27/2024)

SAFETY DATA SHEET

In accordance with UN GHS latest edition

Product: CALMING WATER AND MELON F50896

Version: 3

Section 16. Other information

Concentration % Limits:	SCI 3=8.31% SS 1=62.50% EH A2=71.01% EH A3=6.93% EH C3=17.27%
Total Fractional Values:	SCI 3=12.03 SS 1=1.60 EH A2=1.41 EH A3=14.44 EH C3=5.79
Key to revisions:	
14.1. UN number	
14.2. UN proper shipping name	
14.3. Transport hazard class(es)	
14.3. Transport hazard class(es)	
14.4. Packing group	
2.1 Classification of the substance or mixtur	e
Concentration % Limits	
SECTION 3: Composition/information on ing	gredients
Total Fractional Values	
Key to abbreviations:	

Abbreviation	Meaning
Acute Tox. 4	Acute Toxicity - Oral Category 4
Acute Tox. 5	Acute Toxicity - Oral Category 5
Aquatic Acute 1	Hazardous to the Aquatic Environment - Acute Hazard Category 1
Aquatic Acute 2	Hazardous to the Aquatic Environment - Acute Hazard Category 2
Aquatic Acute 3	Hazardous to the Aquatic Environment - Acute Hazard Category 3
Aquatic Chronic 1	Hazardous to the Aquatic Environment - Long-term Hazard Category 1
Aquatic Chronic 2	Hazardous to the Aquatic Environment - Long-term Hazard Category 2
Aquatic Chronic 3	Hazardous to the Aquatic Environment - Long-term Hazard Category 3
Asp. Tox 1	Aspiration Hazard Category 1
Eye Irrit. 2A	Eye Damage / Irritation Category 2A
Eye Irrit. 2B	Eye Damage / Irritation Category 2B
Flam. Liq. 3	Flammable Liquid, Hazard Category 3
Flam. Liq. 4	Flammable Liquid, Hazard Category 4
H226	Flammable liquid and vapour.
H227	Combustible liquid.
H302	Harmful if swallowed.
H303	May be harmful if swallowed.
H304	May be fatal if swallowed and enters airways.
H313	May be harmful in contact with skin.
H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H319	Causes serious eye irritation.
H320	Causes eye irritation.
H400	Very toxic to aquatic life.
H401	Toxic to aquatic life.



Page 9 (9) Issue date: 09/11/2024 Version: 3 (06/27/2024)

SAFETY DATA SHEET

In accordance with UN GHS latest edition

Product: CALMING WATER AND MELON F50896

Version:

3

H402 Harmful to aquatic life. H410 Very toxic to aquatic life with long lasting effects. H411 Toxic to aquatic life with long lasting effects H412 Harmful to aquatic life with long lasting effects P210 Keep away from heat, sparks, open flames and hot surfaces. - No smoking. P233 Keep container tightly closed. P240 Ground/bond container and receiving equipment. P241 Use explosion-proof electrical, ventilating and lighting equipment. P242 Use only non-sparking tools. P243 Take precautionary measures against static discharge P261 Avoid breathing vapour or dust. P264 Wash hands and other contacted skin thoroughly after handling. P270 Do not eat, drink or smoke when using this product. Contaminated work clothing should not be allowed out of the workplace. P272 P273 Avoid release to the environment. P280 Wear protective gloves/eye protection/face protection. P301/310 IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician. P301/312 IF SWALLOWED: call a POISON CENTER or doctor/physician if you feel unwell. P302/352 IF ON SKIN: Wash with plenty of soap and water. P303/361/353 IF ON SKIN (or hair): Remove/take off immediately all contaminated clothing. Rinse skin with water/shower. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to P305/351/338 do. Continue rinsing P312 Call a POISON CENTRE or doctor/physician if you feel unwell. P330 Rinse mouth. P331 Do not induce vomiting. P332/313 If skin irritation occurs: Get medical advice/attention. P333/313 If skin irritation or rash occurs: Get medical advice/attention. P337/313 If eye irritation persists: Get medical advice/attention. P362 Take off contaminated clothing and wash before reuse. Wash contaminated clothing before reuse. P363 P370/378 In case of fire: Use carbon dioxide, dry chemical, foam for extinction. P391 Collect spillage P403/235 Store in a well-ventilated place. Keep cool. P405 Store locked up. P501 Dispose of contents/container to approved disposal site, in accordance with local regulations. Skin Irrit. 2 Skin Corrosion / Irritation Category 2 Skin Sens. 1A Sensitization - Skin Category 1A Skin Sens. 1B Sensitization - Skin Category 1B

The information in this safety data sheet is to the best of our knowledge true and accurate but all data, instructions, recommendations and/or suggestions are made without guarantee.